

EXPONA[®]

DESIGN

HEAVY COMMERCIAL LUXURY VINYL TILES


DESIGN

HEAVY COMMERCIAL LUXURY VINYL TILES

When entering a space, we immediately notice what surrounds us; our eyes are drawn to what is innovative, fresh and new, whilst simply recognising what is familiar. Often, we don't focus on specific interior finishes such as flooring. However, when utilized in an environment which allows integration of the whole interior scheme, such spaces can be augmented by use of the architecture, colour and interaction with light.

Expertly curated using authentic reproductions of natural materials, Expona Design offers 28 variations of heavy commercial floor coverings. Elegantly combining contemporary and decorative designs including innovative metallic and graphic design effects, this range will help shape the atmosphere of a room or commercial environment to give the user a feeling of recognition and comfort.

COLLECTION OVERVIEW



The Expona Design collection consists of 28 shades in an array of finishes. Our shades are individually crafted to feature unique surface texture and embossing for an authentic appearance. To navigate, use the page references above to find the desired shade.

DESIGN

HEAVY COMMERCIAL LUXURY VINYL TILES

WOOD

Expona Design Wood richly encompasses premium designs, delicately depicting the natural charm of authentic timber. The carefully selected palette imparts both tonal and surface texture variation, simultaneously reflecting the true individualism of Expona. Plank nuances allows for complete confidence in this selection, and aims to heighten the relationship between the users and their space.





6139 American Oak
152.4 x 914.4mm
Emboss: Fine Wood Structure



6138 Classic Oak
152.4 x 914.4 mm
Emboss: Fine Wood Structure



6222 Amber Classic Oak
152.4 x 1219.2mm
Emboss: Wood Structure



WOOD



6179 Natural Brushed Oak
203.2 x 1219.2mm
Emboss: Wood Structure



6149 Antique Oak
203.2 x 1219.2mm
Emboss: Relief Wood Structure



6178 Dark Brushed Oak
203.2 x 1219.2mm
Emboss: Wood Structure



WOOD



6151 Blond Country Plank
152.4 x 914.4mm
Emboss: Rustic Wood Structure



WOOD



6155 Walnut
152.4 x 914.4mm
Emboss: Fine Wood Structure





6173 Blond Indian Apple
152.4 x 1219.2mm
Emboss: Wood Structure



6174 Aged Indian Apple
152.4 x 1219.2mm
Emboss: Wood Structure



WOOD



6185 White Oak
152.4 x 914.4 mm
Emboss: Fine Wood Structure

6182 Light Elm
152.4 x 914.4mm
Emboss: Fine Wood Structure



6183 Black Elm
152.4 x 914.4mm
Emboss: Fine Wood Structure



6185 White Oak & 6183 Black Elm

WOOD



6146 Silvered Driftwood
203.2 x 1219.2mm
Emboss: Relief Wood Structure



6204 Grey Heritage Cherry
184.2 x 1219.2mm
Emboss: Hand-Planed Structure



DESIGN

HEAVY COMMERCIAL LUXURY VINYL TILES

STONE

Expona Design Stone comprises a contemporary response which reflects the beauty of both man-made and naturally sourced compounds. Exploring shade and light, our stone effects embody depth and texture alongside bold slate variations. The clean and contemporary stone designs offer a wide scope of finishes and are ideally suited to enhance large scale commercial interiors.





STONE



7219 Roman Limestone
304.8 x 609.6mm
Emboss: Fine Stone Structure

7173 Classic Limestone
304.8 x 609.6mm
Emboss: Fine Stone Structure

STONE



7155 Silver Slate
304.8 x 609.6mm
Emboss: Slate Structure



7154 Atlantic Slate
304.8 x 609.6mm
Emboss: Slate Structure



7153 Black Slate
304.8 x 609.6mm
Emboss: Slate Structure


STONE



7237 Cool Grey Concrete
609.6 x 609.6mm
Emboss: Stone Structure



7233 Warm Grey Concrete
609.6 x 609.6mm
Emboss: Stone Structure



7238 Dark Grey Concrete
609.6 x 609.6mm
Emboss: Stone Structure



DESIGN

HEAVY COMMERCIAL LUXURY VINYL TILES

ABSTRACT

Developed to appeal to one's imagination, Expona Design Abstract introduces creative and graphic designs created using both illustrative and photographic techniques. The collection successfully parallels Expona's tradition of strong innovation and individuality, whilst retaining focus on practicality and interior longevity within commercial environments.







8077 Crème Matrix
609.6 x 609.6mm
Emboss: Matrix Structure



8076 Mocca Matrix
609.6 x 609.6mm
Emboss: Matrix Structure

ABSTRACT



7214 Light Contour
304.8 x 914.4mm
Emboss: Linear Structure

7215 Dark Contour
304.8 x 914.4mm
Emboss: Linear Structure



8122 Black Treadplate
457.2 x 914.4mm
Emboss: Treadplate Structure

DESIGN

HEAVY COMMERCIAL LUXURY VINYL TILES

THE COLLECTIONS

The following spreads summarise the Expona Design collection, featuring accurate product scans as well as detailing all tile and plank sizes. Designs that feature pattern variations or bevelled edges are highlighted for easy identification, and the whole collection has been grouped by plank or tile size, so depending on the scale of the installation a suitable tile can be quickly selected.



WOOD COLLECTION

6" x 36"
152.4 x 914.4mm



6185 White Oak



6139 American Oak



6151 Blond Country Plank



6182 Light Elm



6138 Classic Oak



6155 Walnut



6183 Black Elm

6" x 48"
152.4 x 1219.2mm



 6173 Blond Indian Apple



 6174 Aged Indian Apple



6222 Amber Classic Oak

8" x 48"
203.2 x 1219.2mm



 6179 Natural Brushed Oak



 6149 Antique Oak



  6146 Silvered Driftwood



 6178 Dark Brushed Oak

7.25" x 48"
184.2 x 1219.2mm



 6204 Grey Heritage Cherry

Accurate authenticity is at the heart of Expona, representing the allure, distinction and unpredictability of natural timber and stone. To replicate these materials, the products may contain knots and variation in markings as part of their design.

Although we endeavour to ensure the brochure print process represents the true colour of each product, we recommend you view an actual sample which we shall be pleased to supply, free of charge. Visit polyflor.com and follow the samples link for further details.

 Bevelled edges  Pattern and/or colour variation

STONE & ABSTRACT COLLECTION

12" x 24"
304.8 x 609.6mm



7173 Classic Limestone



7219 Roman Limestone



 7155 Silver Slate



7154 Atlantic Slate



7153 Black Slate

12" x 36"
304.8 x 914.4mm



7214 Light Contour



7215 Dark Contour

18" x 36"
457.2 x 914.4mm



8122 Black Treadplate

24" x 24"
609.6 x 609.6mm



8077 Crème Matrix



7233 Warm Grey Concrete



7237 Cool Grey Concrete



7238 Dark Grey Concrete



8076 Mocca Matrix

Accurate authenticity is at the heart of Expona, representing the allure, distinction and unpredictability of natural timber and stone. To replicate these materials, the products may contain knots and variation in markings as part of their design.

Although we endeavour to ensure the brochure print process represents the true colour of each product, we recommend you view an actual sample which we shall be pleased to supply, free of charge. Visit polyflor.com and follow the samples link for further details.

 Bevelled edges  Pattern and/or colour variation

EMBOSSING

Expona Design offers exceptional quality and a range of leading wood and stone designs as a result of extensive research and innovative product development. The surface embossing for Expona Design has been created to accurately replicate the appearance and feel of real wood timbers and natural stone. An exceptional premium finish is produced when paired with a corresponding design.




Wood structure



Hand-planed structure



Matrix structure



Linear structure




Stone structure



Fine stone structure



Slate structure



Treadplate structure



Relief wood structure



Rustic wood structure



Fine wood structure

INLAY STRIPS

Developed to create authenticity across floor designs, inlay strips can be positioned between planks or tiles to bring an installation to life. They can also create zones and highlight features, or add a bold graphic look to an interior space.

Grouting Strips	Marquetry Strips	Feature Strips
5 x 914mm	5 x 914mm	5 x 1000mm
		
2537 (2.5mm) / 3037 (3.0mm) Beige	2551 (2.5mm) / 3061 (3.0mm) Light Oak	5100 (2.5mm) / 0115 (3.0mm) Silver
		
2536 (2.5mm) / 3036 (3.0mm) Grey	2552 (2.5mm) / 3062 (3.0mm) Mid Oak	5103 (2.5mm) / 0103 (3.0mm) Black
		
2538 (2.5mm) / 3038 (3.0mm) Black	2553 (2.5mm) / 3063 (3.0mm) Walnut	5110 (2.5mm) / 0114 (3.0mm) Brown

For bevelled planks and tiles, we recommend using 2.5mm gauge inlay strips.

DECORATIVE DESIGN FLOORS

Form and design is at the heart of the inspiration for Expona Design. As such, each product is developed to work as a standalone floor. However, by using a single shade or combining different flooring tiles together in a variety of layouts, a truly stunning result can be achieved with little effort.

6185
White Oak



6183
Black Ash



Full Plank Herringbone




8077
Crème Matrix




8076
Mocca Matrix

With little or no cutting required, beautiful flooring installations such as herringbone and colour zoning in multiple shades can create eye-catching designs. Polyflor also offer a collection of creative inlay accessories, developed to complement both wood and stone designs to further enhance individual installations.



STRUCTURE

EXPONA tiles and planks consist of individual layers which are thermally pressed and feature a polyurethane reinforcement (PUR). EXPONA combines a vast range of authentic wood and stone designs alongside creative, innovative and abstract effects with the excellent easy-care characteristics of PVC flooring.



Reinforced Polyurethane

The PUR treatment supports a simple cleaning regime.

Wear layer

The embossed, 0.7mm, high-density and transparent layer is hard wearing and protects the design.

Decoration layer

An innovative printing technique makes the high-clarity design film a true representation of natural materials.

Stabilisation layer

Improved dimensional stability is achieved by minimising the effect of surrounding physical properties e.g. temperature fluctuations.

Load-bearing layer

The basis for the long service life and high performance of EXPONA.

TECHNICAL DATA

Characteristics	Standards	Unit	EXPONA DESIGN
Type of floorcovering	EN ISO 10582		Heterogeneous, PVC
Surface treatment			PUR
Total weight	EN ISO 23997	g/m ²	5,100
Performance classification	EN ISO 10874		23 / 34 / 43
Gauge	EN ISO 24346	mm	3.0mm
Wear layer thickness	EN ISO 24340	mm	0.7mm
Packaging and plank sizes	EN ISO 24342	mm	24 @ 152.4 x 914.4 = 3.34m ²
			18 @ 152.4 x 1219.2 = 3.34m ²
			15 @ 184.2 x 1219.2 = 3.37m ²
			14 @ 203.2 x 1219.2 = 3.46m ²
Packaging and tile sizes	EN ISO 24342	mm	9 @ 609.6 x 609.6 = 3.34m ²
			18 @ 304.8 x 609.6 = 3.34m ²
			16 @ 457.2 x 457.2 = 3.34m ²
			12 @ 304.8 x 914.4 = 3.34m ²
Dimensional stability	EN ISO 23999	%	≥0.1
Residual indentation	EN ISO 24343-1	mm	0.05**
Colour fastness to artificial light	EN ISO 105-B02	level	≥ 6
Behaviour to fire	EN 13501-1		Bfl - S1
Slip resistance	EN 13893		DS [▲]
	DIN 51130		R10
	AS 4586		R10
Resistance to thermal conductivity	EN 12667 ISO 8302	m ² K/w	0.02
Assessment of static electrical propensity	EN 1815	kV	< 2
Chemical resistance	EN ISO 26987		*
Abrasion resistance	EN ISO 10582 EN 649		Type I Group T
Castor chair suitability	ISO 4918		Yes
Underfloor heating suitability	EN 1264-2		Suitable, max 27°C
VOC emissions	Indoor Air Comfort Gold Floorscore AgBB		Eurofins certified product Certified product Very low emissions
Environmental product declaration	EN 15804		DGNB Navigator www.dgnb-navigator.de
Responsible sourcing	BES 6001		Very Good
	SA 8000		Approved Factory

▲ For safety flooring with sustainable wet slip resistance, refer to Expona Control PUR or the Polysafe ranges

* Resistant depending on concentration and time of exposure, in case of increased impact of oils, grease, acids, alkalis and other aggressive chemicals please contact us. Averaged test value from current production

** Heavy rolling loads to be avoided



HERE TO HELP

ENVIRONMENT

As a leading global manufacturer of high quality, high performance floorcoverings, Polyflor have demonstrated a high level of commitment to minimising the impact our products have on the environment, and endeavour to meet these requirements with a focus on sustainability and a healthy indoor climate.

All Expona flooring has the prescribed CE mark, as a European declaration of performance and is regularly tested to ensure the exceptional standards are continually met by external third parties including Eurofins, one of Europe's leading service providers in the field of analysis. Through these annual external inspections, Eurofins have awarded Expona Design the Indoor Air Comfort Gold rating. This certificate is awarded to products with VOC emissions below any globally determined VOC limits. Expona Design is certified with FloorScore, BRE and LEED credits. All Expona flooring is also 100% recyclable and contains average 40% recycled material, which is integrated into new flooring production insofar as is possible.

SUSTAINABILITY

As a member of ERFMI, the European Resilient Flooring Manufacturer's Institute, Polyflor, a company of James Halstead PLC, supports the ideal of sustainable construction and has prepared an Environmental Product Declaration (EPD) for Expona Design. Expona floorcoverings have been assessed under the EN 15804 programme of the Institute for Construction and Environment (IBU) for the environmental assessment of buildings.

ORDER SAMPLES

Polyflor provide a complementary product sample service so you can sample your choice of flooring before you make your final selection, and ensure you find the exact floorcovering you are looking for. To order your free sample of any Expona Design colour, visit the Polyflor website, call the dedicated Polyflor Samples Hotline on +44 (0) 161 767 2551 or speak with your local Polyflor provider.

VISIT US ONLINE

Visit polyflor.com for detailed product and technical information on all flooring collections within the Polyflor portfolio. Our award winning website provides an easy to follow navigation system to help you find exactly what you are looking for, free downloads, and free product and literature samples which can be easily ordered through the website.

CONTACT US

For general information on your specific project, either speak with your local Polyflor provider or contact us directly. If you require additional detailed technical data, either visit polyflor.com and follow the links to the technical pages, contact Polyflor Customer Technical Services on +44 (0) 161 767 1912 or email tech@polyflor.com.



POLYFLOR™ INTERNATIONAL

Australia
Polyflor Australia
Tel: 1800 777 425
E-mail: sales@polyflor.com.au

Canada
Polyflor Canada Inc.
Tel: +1 905 364 3000
E-mail: sales@polyflor.ca

China
Polyflor Hong Kong
Tel: +(852) 2865 0101
E-mail: info@polyflor.com.hk

France
James Halstead France SAS
Tel: +33 (0) 8 20 20 32 11
E-mail: info@jhfrance.fr

Germany
objectflor Art und Design Belags GmbH
Tel: +49 (0) 2236 966 330
E-mail: info@objectflor.de

India
Polyflor India Pvt Ltd
Tel: +91 22 4023 2485
E-mail: info@polyflor.co.in

Ireland
Polyflor Ireland
Tel: +353 (1) 864 9304
E-mail: salesireland@polyflor.com

Middle East
Polyflor FZE
Tel: +971 50 406 8114
E-mail: aelwakil@polyflorfze.ae

New Zealand
Polyflor New Zealand Ltd
Tel: +64 9 269 1111
Tel: 0800 765 935
E-mail: sales@polyflor.co.nz

Norway
Polyflor Nordic
Tel: +47 23 00 84 00
E-mail: firmapost@polyflor.no

Poland
Polflor Sp. Z o.o.
Tel: +48 (0) 61 820 3155
E-mail: polyflor@polflor.com.pl

South Africa
Poly Sales Africa (Pty.) Ltd
Tel: +27 (0) 11 609 3500
E-mail: info@polyflor.co.za

Sweden
FalckDesign AB
Tel: +46 (0) 300 15820
E-mail: info@falckdesign.com

POLYFLOR™ UK

Polyflor Ltd. PO Box 3, Radcliffe New Road
Whitefield, Manchester, M45 7NR

UK Sales Direct: +44 (0) 161 767 1122
Export Sales Direct: +44 (0) 161 767 1913
UK Fax: +44 (0) 161 767 1128
Export Fax: +44 (0) 161 767 1166
Technical Support: +44 (0) 161 767 1912
Reception: +44 (0) 161 767 1111
E-mail: info@polyflor.com



For details on distribution,
as well as up to date product and
technical information, please visit

www.polyflor.com